8
(
F
F
(
1
j
K
L
N
8
(
E
F
0
ř
j
K
L
N
8
F
F
G
ī
J
K
L
'n
8
ָ ר
Ě
F
BODEFOR
•
1
1
E
Ċ
Ě
F
- 1

MMM MMM	00000000	MMM MMM
MMM MMM	00000000	MMM MMM
MMM MMM	00000000	MMM MMM
MMMMMM MMMMMM	000 000	MMMMM MMMMMM
MMMMM MMMMM	000 000	MMMMM MMMMM
MMMMM MMMMM	000 000	MMMMM MMMMM
MMM MMM MMM	000 000	MMM MMM MMM
MMM MMM MMM	000 000	MMM MMM MMM
MMM MMM MMM	000 000	MMM MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	000 000	MMM MMM
MMM MMM	00000000	MMM MMM
MMM MMM	00000000	MMM MMM
MMM MMM	00000000	MMM MMM

LLLLLLLLL

DDDDDDDD

FILEID**NPADEF

Version: 'V04-000'

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RICHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

* 1

```
NPARSE argument block field definitions.
module $NPADEF:
aggregate NPADEF structure fill prefix NPAS;
                                                                                                         /* Argument count (NPA$K_COUNTO)
/* Argument count value
/* Count of bytes remaining in message
/* Pointer to remaining message
       COUNT longword unsigned; constant COUNTO equa
      constant COUNTO equals 8
MSGCNT longword unsigned;
MSGPTR longword unsigned;
OPTIONS longword unsigned;
fLDCNT longword unsigned;
fLDPTR longword unsigned;
LONG OVERLAY union fill;
CONG longword unsigned;
WORD OVERLAY union fill;
"WORD" word unsigned;
"BYTE" byte unsigned;
end WORD OVERLAY;
end LONG OVERLAY;
NUMBER longword unsigned;
PARAM longword unsigned;
                                             equals 8 prefix NPA tag $k:
                                                                                                         /* Options (not used)
                                                                                                         /* Count of bytes in matched field
                                                                                                         /* Pointer to matched field
                                                                                                         /* Matched longword value
                                                                                                         /* word value
                                                                                                         /* byte value
                                                                                                         /* Matched signed value (not used)
       PARAM longword unsigned; constant LENGTHO equals . prefix NPA$ tag K; constant LENGTHO equals . prefix NPA$ tag C;
                                                                                                         /* Action routine parameter value
                                                                                                        /* Size of argument block structure
                                                                                                       /* Size of argument block structure
end NPADEF:
end_module $NPADEF:
```

0237 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

